

Equipment & Methods
Hand operated percussion boring, 125/75mm dia. , GL to 1.10mbgl; not cased.

Location No. 198055
Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for
GLASGOW CITY COUNCIL

Ground Level 16.58m AOD
Coordinates 665 0E
280.0N
Date 31/03/00

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample		
					Type	No	
Orange brown very sandy SILT. Some pockets of clay.			0.00 - 0.50 (0.50)	0.00 - 0.50	D	01	
Thinly laminated brown CLAY. Occasional laminae of sand.	17.90		0.50 - 0.90 (0.50)	0.60 - 1.10	D	02	
Borehole complete at 1.10 m	17.48		1.10				

Remarks

Logged by

Scale 1:50

Fig

Note: Environmental samples are suffixed "E".

Equipment & Methods

(As Sheet One)

Location No 190055

Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Cared out to

GLASGOW CITY COUNCIL

Ground Level

Coordinates

Date

(As Sheet One)

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
11/03/00	1600	1.10	0.60	DRY	

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
1.10	75	75	0.60

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Miles After Strike	Sealed at (m)	Remarks

Top Depth (m)	Remarks

Remarks

Equipment & Methods
Hand operated percussion boring 125/75mm dia. , GL to 1.10mbgl; not cased.

Location No. 199955
Location WESTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for
GLASGOW CITY COUNCIL

Ground Level 18.56m ACD
Coordinates 686.0E
260.0N
Date 31/03/00

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample		
					Type	No.	Test
Red brown silty SAND.			(0.60)	0.00 - 0.50	D	01	
Thinly laminated brown CLAY. Some laminae of sand.	17.96		0.50 (0.50)	0.60 - 1.10	D	02	
<i>Borehole complete at 1.10 m</i>	17.46		1.10				

Remarks

Logged by

Scale

1:50

Fig

47

Note - Environmental samples are suffixed 'E'.

Equipment & Methods

(As Sheet One)

Location No 150055

Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for

GLASGOW CITY COUNCIL.

Ground Level

Coordinates

Date

(As Sheet One)

Water Level Observations during Boring

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1600	1.10	0.00	DRY	

Hole Diameter by Depth Table

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
1.10	75	75	0.00

Water Strike Table

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks

Depth Related Remarks Table

Top Depth (m)	Remarks

Remarks

Fig

47

Equipment & Methods
Hand operated percussion boring, 125/75mm dia., GL to 1.10mbtg; not cased.

Location No. 190055
Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for
GLASGOW CITY COUNCIL

Ground Level 18.56m AOD
Coordinates 665.0E
260.0N
Date 31/03/00

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample		
					Type	No.	
Brown mottled yellow sandy gravelly SILT. Gravel is fine to coarse of mixed lithology. Some pockets of clay.			0.00 - 0.50 (0.50)	0.00 - 0.50	01		
Thinly interlaminated brown CLAY and SILT. Occasional sandy laminae.	17.96		0.50 (0.50)	0.50 - 1.10	02		
Borehole complete at 1.10 m							

Remarks

Logged by

Scale
1:50

Fig

Note - Environmental samples are suffixed "E".

Equipment & Methods

(As Sheet One)

Location No 190055

Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for

GLASGOW CITY COUNCIL

Ground Level

Coordinates

Date

(As Sheet One)

Water Level Observations during Boring

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1600	1.10	0.00	DRY	

Hole Diameter by Depth Table

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
1.10	75	75	0.00

Water Strike Table

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks
---------------------	------------------	------	------	-----------------------	----------------------	---------------	---------

Depth Related Remarks Table

Top Depth (m)	Remarks
---------------	---------

Remarks

Equipment & Methods Hand operated percussion boring, 125/75mm dia., GL to 1.10mbgl; not cased.	Location No. 190055 Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.
--	--

Carried out for GLASGOW CITY COUNCIL	Ground Level 18.58m AOD	Coordinates 666.0E 250.0N	Date 31/03/00
---	----------------------------	---------------------------------	------------------

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample		
					Type	No	
Topsoil, #	18.46		0.10 (0.00)	0.10 - 0.70	D	01	
Brown mottled yellow sandy slightly gravelly SILT. Gravel is fine. Some pockets of clay.	17.66		0.70 (0.40)	0.70 - 1.10	D	02	
Thinly laminated brown SILT and CLAY.	17.48		1.10				
Borehole complete at 1.10 m							

Remarks # Denotes Foreman's description.	Logged by
Note - Environmental samples are suffixed "E".	Scale 1:50
	Fig 49

Equipment & Methods
(As Sheet One)

Carried out for
GLASGOW CITY COUNCIL

Location No. 190055

Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Ground Level Coordinates Date
(As Sheet One)

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1800	1.10	0.00	DRY	

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
1.10	75	75	0.00

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks

Top Depth (m)	Remarks


Remarks

Fig 49

Equipment & Methods Hand operated percussion boring, 125/75mm dia. GL to 4.10mbgl, not cased.	Location No. 190055 Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW
---	---

Carried out for GLASGOW CITY COUNCIL	Ground Level 18.79m AOD	Coordinates 725 0E 150 0N	Date 31/03/00
---	----------------------------	---------------------------------	------------------

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample Type	Sample No.	
Topsqil. # Black slightly clayey becoming clayey (carbonaceous) and grey GRAVEL. Gravel is fine to coarse angular and sub-angular mudstone. Occasional pockets of brown clay. Possible traces of ash (MADE GROUND)	18.83		0.10	0.10 - 1.10	D	01	
			(2.00)	1.10 - 2.10	D	02	
Dark grey brown mottled yellow slightly sandy slightly gravelly CLAY. Gravel is fine of lithorelic mudstone. (MADE GROUND)	18.89		2.10	2.10 - 2.40	D	03	
Brown mottled yellow slightly sandy CLAY. Traces of wood. Foreman noted red blaes. (MADE GROUND)	18.77		2.40	2.40 - 3.10	D	04	
			(0.30)				
				3.10 - 3.30	D	05	
Brown mottled grey slightly sandy CLAY. Traces of wood. (MADE GROUND)	18.43		3.30	3.30 - 3.70	D	06	
			(0.40)				
Brown slightly sandy CLAY. Some thin laminae of grey clay.	18.09		3.70	3.70 - 4.10	D	07	
			(0.40)				
Borehole complete at 4.10m	14.00		4.10				

Remarks 1 # Denotes Foreman's description	Logged by 
	Scale 1:50
	Fig 50

Equipment & Methods

(As Sheet One)

Location No 190055

Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW

Carried out by

GLASGOW CITY COUNCIL

Ground Level

Coordinates

Date

(As Sheet One)

Water Level Observations during Boring

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1800	4.10	3.00	0.00	
31/03/00	1800	4.10	3.00	1.50	

Hole Diameter by Depth Table

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
4.10	75	75	3.00

Water Strike Table

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks
1.50	3.00	31/03/00	N/R	0.00	0	N/R	

Depth Related Remarks Table

Top Depth (m)	Remarks

Remarks

Equipment & Methods
Hand operated percussion boring, 125/75mm dia., GL to 4.10mbgl; not cased.

Location No. 180055
Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.

Carried out for
GLASGOW CITY COUNCIL

Ground Level 18.79m AOD
Coordinates 725 0E
180 0N
Date 31/03/00

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Sample Type	Sample No	
Topsoil. # Black (carbonaceous) and grey mudstone GRAVEL. Occasional becoming many pockets of brown clay. Traces of wood at base of stratum. (MADE GROUND)	18.80		0.15	0.10 - 1.10	D	01	
			(2.80)	1.10 - 2.10	D	02	
				2.10 - 2.90	D	03	
Brown mottled yellow and grey slightly sandy slightly gravelly CLAY. Gravel is fine of lithologic mudstone. (MADE GROUND)	18.80		2.80	2.90 - 3.10	D	04	
Brown mottled grey slightly sandy CLAY	18.80		3.10	3.10 - 3.70	D	05	
			(0.80)				
Red brown slightly sandy CLAY	18.98		3.70	3.70 - 4.10	D	06	
			(0.40)				
Borehole complete at 4.10 m	14.80		4.10				

Remarks
1 # Denotes Foreman's description.

Note - Environmental samples are suffixed "E".

Logged by

Scale 1:50

Fig 51

Equipment & Methods

(As Sheet One)

Location No

190055

Location

WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW

Carried out for

GLASGOW CITY COUNCIL

Ground Level

Coordinates

(As Sheet One)

Date

Water Level Observations during Boring

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1600	4.10	8.00	0.00	
31/03/00	1600	4.10	6.00	1.50	

Hole Diameter by Depth Table

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
4.10	75	75	0.00

Water Strike Table

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks
1.00	0.00	31/03/00	N/R	0.00	0	N/R	

Depth Related Remarks Table

Top Depth (m)	Remarks

Remarks

Pg

51

Equipment & Methods
Hand operated percussion boring, 125/75mm dia., GL to 4.10m high, not cased.

Location No 190055
Location WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW

Carried out for
GLASGOW CITY COUNCIL

Ground Level 18.79m AOD
Coordinates 725 0E, 180.0N
Date 31/03/05

Description	Reduced Level	Legend	Depth & (Thickness)	Samples/Tests			Field Records
				Depth	Type	Sample No	
Topsail # Black (carbonaceous) and grey slightly clayey mudstone GRAVEL. Some pockets of brown clay. (MADE GROUND)	18.89	[Cross-hatched pattern]	0.10 (2.80)	0.10 - 1.10 1.10 - 2.10	G	01 02	
Brown mottled yellow and grey slightly sandy CLAY. Some pockets of black and grey mudstone gravel. (MADE GROUND)	16.89	[Cross-hatched pattern]	2.10 (1.60)	2.10 - 3.10 3.10 - 3.70	G	03 04	
Brown mottled grey slightly sandy CLAY.	15.00	[Horizontal line pattern]	3.70 (0.40)	3.70 - 4.10	G	05	
Borehole complete at 4.10 m	14.88		4.10				

Remarks
1 # Denotes Foreman's description

Note - Environmental samples are suffixed "E"

Logged by [Redacted]

Scale
1:50

Fig

Equipment & Methods (As Sheet One)	Location No	190055		
	Location	WESTTHORN RECREATION GROUND, LONDON ROAD, GLASGOW.		
Carried out for GLASGOW CITY COUNCIL.	Ground Level	Coordinates	Date	
		(As Sheet One)		

Date	Time	Depth of Hole (m)	Depth of Casing (m)	Depth to Water (m)	Remarks
31/03/00	1800	4.10	0.00	0.00	
31/03/00	1800	4.10	0.00	1.60	

Depth of Hole (m)	Diameter of Hole (mm)	Diameter of Casing (mm)	Depth of Casing (m)
4.10	75	75	0.00

Depth of Strike (m)	Casing Depth (m)	Date	Time	Post Strike Depth (m)	Minutes After Strike	Sealed at (m)	Remarks
1.60	0.00	31/03/00	N/R	0.00	0	N/R	

Top Depth (m)	Remarks

Remarks	
	Fig 52